


SHODDY FELT ABSORBENT RANGE

Waste in. Absorbent out.

Needle-punched felt made from reclaimed cotton, viscose and polyester fibres — heavy-duty spill control with a recycled-content story your buyers can sell.

**TWO GRADES****OIL ABSORBENT**

80% recycled cotton · 20% recycled polyester

**UNIVERSAL ABSORBENT**

40% viscose · 40% cotton · 20% polyester

RECYCLED FIBRE

Reclaimed textile feedstock

PADS & ROLLS

Supplied unperforated




MADE TO SPEC

Sizes, weights & packing

WHY RECYCLED FIBRE

From textile waste to spill control.

Shoddy felt is built from reclaimed textile fibre — the offcuts and end-of-life textiles that would otherwise be burned or buried, opened back into fibre and needle-punched into a dense absorbent felt.



A CIRCULAR MATERIAL STORY YOUR BUYERS CAN SELL

Every roll diverts textile waste from landfill and incineration. For distributors tendering into contracts with environmental criteria, recycled content is increasingly the deciding line on the sheet — and this range gives you a straightforward, honest answer.

Natural variation: because the feedstock is reclaimed, shade and fleck vary slightly between production runs. It is a mark of genuine recycled content, not a defect.

GRADE 01 · OIL ABSORBENT


Oil-preferential. Recycled.

A cotton-rich felt built for oil, fuel and lubricant clean-up on hard surfaces — high loft, high retention, and made from reclaimed fibre.



Oil grade — charcoal shoddy felt

FIBRE BLEND



- 80% Recycled cotton fibres
- 20% Recycled polyester fibres

FORMATS



PADS



ROLLS

Supplied unperforated — cut cleanly to any size or length.

WORKSHOP & MAINTENANCE

- ✓ Under vehicles & service bays
- ✓ Engine, gearbox & axle work
- ✓ Lathes, presses & machine bases
- ✓ Workbench and tool-station lining

PLANT, TRANSPORT & FACILITY

- ✓ Oil & lubricant transfer points
- ✓ Drip trays, drum stands & stores
- ✓ Generator and compressor rooms
- ✓ Depots, garages & fleet yards



Oil-preferential

Cotton-rich loft draws in oils, fuels and lubricants.



Holds what it takes

High retention keeps oil in the pad while you carry it.



Heavy-duty body

Dense felt takes foot traffic and rough concrete.



Recycled fibre

80% reclaimed cotton, 20% reclaimed polyester.

Pads & rolls · unperforated · sizes and weights to order · boxes or polybags

GRADE 02 · UNIVERSAL ABSORBENT


One felt. Most liquids.

A viscose-and-cotton blend that takes on oils, coolants, water-based fluids and general workshop spills — the everyday maintenance workhorse.



Universal grade — grey shoddy felt

FIBRE BLEND



- 40% Recycled viscose fibres
- 40% Recycled cotton fibres
- 20% Recycled polyester fibres

FORMATS



PADS



ROLLS

Supplied unperforated — cut cleanly to any size or length.

GENERAL MAINTENANCE

- ✓ Oils, coolants & cutting fluids
- ✓ Water, condensation & wash-down
- ✓ Under leaking machines & pumps
- ✓ Walkways, aisles & work cells

PRODUCTION, SITE & FACILITY

- ✓ Assembly lines & press shops
- ✓ Paint shops and overspray control
- ✓ Loading bays & goods-in areas
- ✓ Site huts, plant yards & stores



Takes most liquids

Oils, coolants, water-based fluids and general spills.



Conforms & lies flat

Dense felt drapes over uneven floors and plant.



Cut to the job

Unperforated pads and rolls, trimmed to any size.



Recycled fibre

40% viscose, 40% cotton, 20% polyester — all reclaimed.

Pads & rolls · unperforated · sizes and weights to order · boxes or polybags

OPTIONS & ORDERING

Built to your specification.

Both grades are made to order — thickness, weight, pad size, roll width and length, and the pack format are all yours to set.

GRADE	FIBRE BLEND	FORMATS	PERFORATION	PACKING
Oil absorbent	80% recycled cotton + 20% recycled polyester	Pads & rolls	None — cut to size	Boxes or polybags
Universal absorbent	40% recycled viscose + 40% recycled cotton + 20% recycled polyester	Pads & rolls	None — cut to size	Boxes or polybags

Thickness, weight, pad size and roll dimensions are all customisable to your specification.

PACKING — YOUR CALL



Polybags

Plain or printed, per your artwork



Boxes

With or without printing




Units per pack

Decided entirely by you

OEM · PRIVATE LABEL

We manufacture. You brand.

- Supplied under your branding — product, label and packaging
- Blend, thickness, weight, size and pack format to your specification
- Consistent OEM supply, export-ready in FCL volumes worldwide



GOOD TO KNOW

For use on hard surfaces — not intended for deployment on open water. Test suitability before use with aggressive chemicals. Used absorbents take on the properties of the liquid absorbed and must be handled and disposed of accordingly.



In-house nonwoven manufacturing

Needle-punched in India, run to your order.



Export-ready, worldwide

FCL supply & private label for global distributors.



Built to specification

Blends, thickness, sizes & packing.

Send us your grades, sizes and volumes — we will build the range around them.