SAMRIDHI CRREATION

NONWOVEN MANUFACTURER & EXPORTER

PRODUCT CATALOGUE / 2026

Wiping **Products**

Spunlace, meltblown and composite nonwoven wipers engineered for industrial, cleanroom, automotive, healthcare and food-contact cleaning.

30–130
GSM RANGE

11
FAMILIES

4
EDGE TYPES

6
FORMATS

CONTENTS

What's **inside.**

The first pages are how to choose a wiper. The middle is what we make. The last pages are how to buy it.

HOW TO CHOOSE

03 The manufacturer
04 Basis weight
05 Fibre behaviour
06 Formats
07 Edge & cut
08 Packing & label
09 Colour coding

WHAT WE MAKE

10 General Industrial
12 Wiper Rolls
14 Automotive Refinishing
16 Oil & Spill
18 Cleanroom & Electronics
20 Foodservice
22 Janitorial
24 Medical
26 Aerospace
28 Abrasive & Scrub
30 Microfiber
32 Base substrates
33 Flushable substrates

HOW TO BUY

34 Sustainability
35 Application matrix
36 Quality & compliance
37 Ordering
38 Product index
39 Contact

WHO WE ARE

Built around the wiper, **not around the offcut.**

Samridhi Crreation manufactures and exports nonwoven wiping materials from Surat, Gujarat. We are converter and mill partner in one: substrate is specified for the cleaning job it has to do, then slit, folded, perforated and packed to your own format and artwork.

HOW A SPUNLACE WIPER IS MADE

01
FIBRE
Wood pulp, viscose, polyester or PP opened and blended

02
WEB
Carded into a loose web of aligned fibre

03
JETS
High-pressure water jets entangle the web



04
BOND
Dried into a coherent fabric. No binder

SUBSTRATE PLATFORMS

PRODUCT FAMILIES

SUPPLY FORMATS

EXPORT MODE

MANUFACTURING PLATFORM

- PP / PET / Nylon spunbond
- Hot-air-through bonded
- PAN felt
- Meltblown
- Needle-punched
- Composite laminates
- SMS / SSMMS
- Spunlace
- Spill-absorbent converting

SPECIFICATION 01

Basis weight is the **number that decides.**

Fibre decides what a wiper picks up. Basis weight decides how much, and how long the wiper survives doing it.



Light wet wipes
Sachet & canister wet wipes, personal care

Standard cleaning
Surface wiping, foodservice, colour-coded janitorial

Industrial
Machine wiping, solvent & degreasing, assembly

Heavy duty
Oil & grease removal, workshop, spill clean-up

Standard production runs 30-130 gsm. Requirements outside this band, and blends outside the combinations in this catalogue, are quoted on application. Grammage tolerance is typically plus or minus five per cent.

+40%
capacity gained moving 60 to 90 gsm, approximately

-25%
wipers consumed when format stops over-draw

x3
cost step from knife cut to laser sealed edge

SPECIFICATION 02

What the blend **actually does.**

Three blends carry most of the range. The difference is not price. It is what happens when the cloth meets solvent, oil or water.

VISCOSE / POLYESTER

Soft, high water pick-up, printable mesh surface. Polyester carries tensile strength so the cloth survives repeated wringing. Colour-coded janitorial and foodservice sit here.

WOODPULP / POLYESTER

Higher absorbent capacity and a cleaner surface. Creped and plain constructions. Light and medium duty industrial, automotive prep and low-lint cleanroom grades.

WOODPULP / POLYPROPYLENE

The oleophilic option. Polypropylene resists solvent attack and prefers oil to water, so heavy duty and oil-spill grades use it where polyester would soften or shed.



ALSO AVAILABLE

Meltblown polypropylene for oil sorption and low-lint critical wiping. Microfiber polyester/polyamide for optical work. Biodegradable viscose, wood pulp, PLA and PBAT constructions to EN 13432.

SPECIFICATION 03

One substrate, **six ways to present it.**

Format is a cost and ergonomics decision, not a material one. Any wiper here can be converted to any format below, at dimensions cut to your specification.



FLAT SHEET

Simplest and cheapest. Stacked in polybag or carton. Best where wipers are decanted into a dispenser on site.



QUARTER-FOLD

Folded to a quarter of open size. Opens to full sheet in the hand, so one wiper covers more surface. Standard for automotive prep.



INTERFOLD POP-UP

Each sheet presents the next. One-handed dispensing, no reaching into a stack. Standard for shop towels.



PERFORATED ROLL

Tear-off at fixed sheet length. Wall-mount or floor-stand dispensing for high-consumption bays.



CENTRE-FEED ROLL

Draws from the core. Suits enclosed dispensers and wash-down areas where the outer surface must stay protected.

JUMBO ROLL

Unconverted master roll for customers running their own slitting, folding or wet-wipe impregnation lines.

Sheet and roll dimensions, sheet count per pack, perforation pitch and core diameter are all set to customer specification.

SPECIFICATION 04

The edge sheds **before the face does.**

In critical wiping the failure point is almost never the middle of the cloth. It is the cut edge, where severed fibres are free to migrate onto the surface being cleaned. Choosing an edge is a contamination decision, and it carries a cost step at each level.



KNIFE CUT

Straight mechanical cut. Lowest cost, highest edge shed. Fine for general industrial and janitorial where lint is not a defect.



BORDER SEALED

Edge compressed and bonded in converting. Cuts migration substantially at modest cost. Default for foodservice and medical.



ULTRASONIC SEALED

Edge fused by ultrasonic energy. Continuous sealed border, no added chemistry. Cleanroom and electronics assembly.



LASER SEALED

Cut and fused in one pass. Cleanest available edge, the standard for critical semiconductor and optical work.

● Orange marks in the diagrams above indicate fibre released from the edge.

SPECIFY INDEPENDENTLY

Edge treatment is set per order and is independent of substrate. Any construction in this catalogue can be supplied with any of the four treatments, subject to minimum quantity.

SUPPLY 01

Your box, **your barcode.**

Most of our output ships under the customer's own brand. Packing is engineered around the destination channel, not around our production convenience.

PACKING OPTIONS

- Polybag, heat-sealed
- Dispenser / pop-up box
- Shrink-wrapped bale
- Inner carton
- Bucket & tub (presaturated)
- Palletised, stretch-wrapped
- Master export carton
- Retail shelf pack
- Container-loaded FCL

BRANDING & COMPLIANCE ARTWORK

- Full-colour private-label print
- Multilingual label copy
- Recycling and disposal marks
- Customer artwork to spec
- Country-of-origin marking
- Care and usage pictograms
- EAN / UPC barcoding
- Batch and lot coding
- Retail-ready display outers

1 ARTWORK IN
Vector PDF or AI, fonts outlined, 3 mm bleed

2 DIGITAL PROOF
Returned for written approval

3 PRE-PROD SAMPLE
Physical sample from the actual tooling

4 RUN RELEASED
Production starts only on written sign-off

SUPPLY 02

Four colours, **one discipline.**

Colour-coded cleaning stops a cloth crossing from a dirty zone to a clean one. The convention below is the one most widely enforced across food and facilities operations in Europe and the Gulf.

RED	YELLOW	GREEN	BLUE
SANITARY	INFECTION CONTROL	FOOD HANDLING	GENERAL
Washrooms, toilets, urinals and any sanitary fitting. Never leaves the zone.	Clinical areas, hand-contact surfaces, sinks and basins outside sanitary zones.	Food preparation surfaces, kitchens, bars and general food-contact areas.	Low-risk general cleaning, offices, front of house, glass and low-contact surfaces.

PRINTING

Colour is achieved by dope dyeing or surface print depending on substrate and fastness requirement. Chevron, wave and mesh patterns are held as standard; customer patterns are tooled to order.

Colour-coded ranges appear in the Foodservice and Janitorial families.

FAMILY 01

General **Industrial**

The workhorse tier. Wood pulp bonded to polyester or polypropylene for wet strength and solvent tolerance.

These are the wipers that go onto the shop floor. Wood pulp does the absorbing; the synthetic fraction holds the sheet together when it is soaked in solvent and dragged across a machined edge. The result lifts oil and water faster than cotton rag, leaves no launderable residue, and is discarded at the end of the job rather than tracked, washed and returned.

60–130
GSM BAND

PULP / PET / PP
COMPOSITION

FSC PEFC RoHS
CERTIFICATION

1,000 kg
TRIAL MOQ

LIGHT
60–125 gsm
PET

MEDIUM
60–130 gsm
PET

GENERAL
60–130 gsm
PP

HEAVY
80–125 gsm
PP

The duty ladder. Note the fibre switch from polyester to polypropylene at general duty.

SERVES

- General manufacturing
- Print & ink management
- Machine shops & MRO
- Workshop maintenance
- Automotive assembly
- Oil & grease clean-up

SPECIFICATION

Range comparison

All dimensions indicative and cut to customer specification. Formats available across the range.

PRODUCT	COMPOSITION	PATTERN	GSM	SIZES	COLOURS
Light Duty Industrial Wiper	Woodpulp / Polyester	Creped	60-125	20x42, 25x42, 30x42 cm	White, blue, turquoise
Medium Duty Industrial Wiper	Woodpulp / Polyester	Plain	60-130	20x42, 25x42, 30x42 cm	White, blue, turquoise
General Industrial Wiper	Woodpulp / Polypropylene	Plain	60-130	20x42, 25x42, 30x42 cm	White, blue, turquoise
Heavy Duty Industrial Wiper	Woodpulp / Polypropylene	Plain	80-125	20x25, 30x30, 30x40 cm	White, blue, red

READING THE TABLE

Light and medium duty are built on polyester; general and heavy duty switch to polypropylene for solvent and oil work.

ALSO SUPPLIED IN THIS FAMILY

- Engineered Cloth Wiper
- Industrial Cleaning Dry Cloth
- Workshop Maintenance Cloth
- Maintenance Wiper
- Multi-Purpose Industrial Wiper
- Manufacturing Cleaning Wiper
- Cleanup Wiper
- Industrial Cloth Towel
- Machine Cleaning Cloth

AVAILABLE FORMATS



Flat sheet · Quarter-fold · Interfold pop-up · Perforated roll · Centre-feed roll · Jumbo roll

MOQ 1,000 kg per specification. Lead time 15-20 days from deposit, 7-10 days on repeat orders.

FAMILY 02

Wiper **Rolls**

The same substrates presented for high-consumption bays: perforated, centre-feed and jumbo.

Where consumption is high and the wiper is pulled one-handed, format decides cost per wipe more than material does. Perforated rolls fix the sheet length so operators stop taking three when one will do. Centre-feed protects the working surface inside the dispenser. Jumbo rolls go to customers running their own converting or impregnation lines.

60–130
GSM BAND

PULP / PP
COMPOSITION

6
ROLL FORMATS

210 cm
MAX WIDTH

SERVES

- High-consumption workshops
- Floor-stand dispensing
- Wash-down areas
- Wet-wipe converting
- Wall-mount dispensing
- Own-brand slitting

SPECIFICATION

Range comparison

All dimensions indicative and cut to customer specification. Formats available across the range.

PRODUCT	COMPOSITION	PATTERN	GSM	SIZES	COLOURS
Perforated Heavy Duty Wiper Roll	Woodpulp / Polypropylene	Plain	customizable	Sheet length to spec	White, blue
Centre-Feed Wiper Roll	Woodpulp / Polyester	Plain	customizable	Roll width to spec	White, blue
Large Roll Industrial Wipe Paper	Woodpulp / Polyester	Embossed	customizable	customizable	White, blue
Jumbo Roll (converting stock)	All substrates	Plain / embossed	30-130	Max width 210 cm	Full range

READING THE TABLE

Jumbo roll width follows the substrate maximum of 210 cm. Converted roll widths and sheet lengths are cut to order.

ALSO SUPPLIED IN THIS FAMILY

- Heavy Duty Embossed Wiper Roll
- Perforated & Embossed Nonwoven Roll
- Industrial Cleaning Roll
- Wall Holder for Rolls
- Household Wiper Small Roll
- Dry Wipes Roll

AVAILABLE FORMATS



Flat sheet · Quarter-fold · Interfold pop-up · Perforated roll · Centre-feed roll · Jumbo roll

MOQ 1,000 kg per specification. Lead time 15-20 days from deposit, 7-10 days on repeat orders.

FAMILY 03

Automotive **Refinishing**



Paint-shop grade. Low-lint, solvent-stable, and folded for the panel rather than the bench.

A refinishing wiper has one job that matters: leave nothing behind. Any fibre, silicone or residue left on a panel becomes a defect under clear coat, and the rework cost dwarfs the price of the cloth. Creped wood pulp and polyester gives a soft face that will not scratch primer, with enough wet strength to carry degreaser across a full panel.

68
TYPICAL GSM

PULP / PET
COMPOSITION

Creped
SURFACE

Quarter-fold
STANDARD FORMAT

SERVES

- Body shops & refinishing
- Degreasing & solvent wipe
- Panel preparation
- Final tack-off
- Between-coat wipe-down
- Detailing & polish

SPECIFICATION

Range comparison

All dimensions indicative and cut to customer specification. Formats available across the range.

PRODUCT	COMPOSITION	PATTERN	GSM	SIZES	COLOURS
Automotive Surface Wiper	Woodpulp / Polyester	Creped	68	20x42, 25x42, 30x42 cm	White, blue, turquoise
Auto Paint Prep Wiper	Woodpulp / Polyester	Creped	customizable	Flatpack / quarter-fold	White, blue
Nonwoven Tack Cloth	Tackified nonwoven	Open mesh	customizable	customizable	Yellow, white
Blue Shop Towel	Woodpulp / Polypropylene	Plain	customizable	Quarter-fold / pop-up	Blue

READING THE TABLE

Tack cloth carries a tackifier and is not interchangeable with a plain prep wiper. Specify the coating system in use before ordering.

ALSO SUPPLIED IN THIS FAMILY

- Polish Cloth
- Shop Towel Pop-Up Box
- White Wiper Smooth Quarter-fold
- Automotive Maintenance Wiper
- White/Blue Creped Quarter-fold Wiper
- Engine & Solvent Wiper

AVAILABLE FORMATS



Flat sheet · Quarter-fold · Interfold pop-up · Perforated roll · Centre-feed roll · Jumbo roll

MOQ 1,000 kg per specification. Lead time 15-20 days from deposit, 7-10 days on repeat orders.

FAMILY 04

Oil & Spill

Meltblown polypropylene and pulp composites for hydrocarbon pick-up and containment.

Oil sorption is a fibre-chemistry problem, not an absorbency problem. Polypropylene is oleophilic and hydrophobic, so a meltblown web lifts hydrocarbon out of a mixed spill and leaves the water behind. That property separates a sorbent pad from a general wiper, and it is why the heavy grades here are polypropylene rather than pulp-dominant.

Meltblown
TECHNOLOGY

PP
FIBRE

Pad / roll / mat
FORMAT

Oleophilic
BEHAVIOUR

HYDROCARBON

Wicks in and is held within the fibre matrix

WATER

Beads on the surface and runs off

Why polypropylene: the same web takes the hydrocarbon and rejects the water.

SERVES

- Oil & fuel spill response
- Marine & offshore
- Machine tool coolant
- Chemical decanting
- Workshop floor containment
- Transformer & hydraulic leaks

SPECIFICATION

Range comparison

All dimensions indicative and cut to customer specification. Formats available across the range.

PRODUCT	COMPOSITION	PATTERN	GSM	SIZES	COLOURS
Oil Absorbent Wiper	Woodpulp / Polypropylene	Plain	customizable	customizable	White, grey
Meltblown Oil Absorbent Wiper	100% Polypropylene	Meltblown	customizable	customizable	White
Oil Sorbent Pad	Meltblown Polypropylene	Bonded pad	customizable	customizable	White
Universal Absorbent Pad	Meltblown Polypropylene	Bonded pad	customizable	customizable	Grey

READING THE TABLE

Sorbent capacity is quoted per product in litres per unit and depends on fluid viscosity. Figures supplied against a named fluid on request.

ALSO SUPPLIED IN THIS FAMILY

- Heavy Oil Pad
- Spill Mat
- Meltblown Oil Spill Mat
- Heavy Duty Pad
- Spill Absorbent Wiper
- High Absorbent Woodpulp/PP Wiper

AVAILABLE FORMATS



Flat sheet · Quarter-fold · Interfold pop-up · Perforated roll · Centre-feed roll · Jumbo roll

MOQ 1,000 kg per specification. Lead time 15-20 days from deposit, 7-10 days on repeat orders.

FAMILY 05

Cleanroom
& Electronics

Low-lint, binder-free construction for controlled environments and static-sensitive assembly.

A cleanroom wiper is judged on what it releases, not what it collects. Hydroentangled webs carry no binder, glue or adhesive, so there is no chemistry to migrate onto a wafer or a populated board. Edge treatment matters as much as the web: a cut edge sheds, a sealed edge does not. Specify the class and we will match construction and edge to it.

56
TYPICAL GSM

PULP / PET
COMPOSITION

Binder-free
CONSTRUCTION

4-9 in
STANDARD SIZES

CLEANER

ISO 8 — **Knife cut**
Non-critical / industrial

ISO 6-7 — **Border sealed**
General controlled environment

ISO 5 — **Ultrasonic sealed**
Cleanroom & electronics assembly

ISO 4 — **Laser sealed**
Critical semiconductor & optical

LESS CRITICAL

The class drives the edge specification, not the substrate.

SERVES

- Semiconductor & wafer fab
- PCB & electronics assembly
- Optical & precision instruments
- Pharmaceutical cleanroom
- Analytical laboratory
- Medical device manufacture

SPECIFICATION

Range comparison

All dimensions indicative and cut to customer specification. Formats available across the range.

PRODUCT	COMPOSITION	PATTERN	GSM	SIZES	COLOURS
Dust Free Wiper	Woodpulp / Polyester	Plain	56	4x4, 6x6, 9x9 in	White
Low-Linting Nonwoven Cloth	Woodpulp / Polyester	Plain	customizable	customizable	White
Antistatic Wiper	Polyester with conductive fibre	Knit	customizable	customizable	White, blue
Laboratory Wiper	Woodpulp / Polyester	Plain	customizable	customizable	White

READING THE TABLE

ISO 14644-1 class rating, particle count, ion content and NVR are established by test against your protocol and issued on the certificate of analysis.

ALSO SUPPLIED IN THIS FAMILY

- Electronics Wiper
- Microfiber Lens Cleaning Cloth
- Cleanroom Wiper Material
- Spunlace Fabric for Cleanroom
- Dust Free Cleaning Cloth
- Optical Grade Wiper

AVAILABLE FORMATS

Flat sheet

Quarter-fold

Interfold pop-up

Perforated roll

Centre-feed roll

Jumbo roll

MOQ 1,000 kg per specification. Lead time 15-20 days from deposit, 7-10 days on repeat orders.

FAMILY 06

Foodservice

Colour-coded, food-contact cloths for kitchens, production lines and front of house.

In a food environment the wiper is a cross-contamination control, not just a cleaning tool. Colour coding is the mechanism: a fixed colour per zone means a cloth that has been on a raw protein bench cannot reappear on a ready-to-eat surface. Printed mesh spunlace holds colour through repeated wet use and dries fast enough to discourage growth between shifts.

50–70
GSM BAND

VISCOSE / PET
COMPOSITION

4
STANDARD COLOURS

Food contact
CERTIFICATION

SERVES

- Commercial kitchens
- Hotels & catering
- Food processing lines
- Supermarket food halls
- HACCP-controlled zones
- Beverage & brewing

SPECIFICATION

Range comparison

All dimensions indicative and cut to customer specification. Formats available across the range.

PRODUCT	COMPOSITION	PATTERN	GSM	SIZES	COLOURS
J-Cloth Nonwoven Wiper	Viscose / Polyester	Printed mesh	50-70	20x20, 30x30, 30x40, 30x60 cm	Yellow, blue, red, green
Counter Cloth	Viscose / Polyester	Mesh	customizable	customizable	Colour-coded range
Food Contact Wiper	Woodpulp / Polyester	Plain	customizable	customizable	White, blue
HACCP Cleaning Wiper	Viscose / Polyester	Printed mesh	customizable	customizable	Colour-coded range

READING THE TABLE

Food-contact certification is issued per substrate and per destination market. Confirm the regulatory regime (EU, FDA, FSSAI) at enquiry stage.

ALSO SUPPLIED IN THIS FAMILY

- Antibacterial Food-Contact Cloth
- Catering Industry Wiper
- Foodservice Towel
- Food Processing Machine Wiper
- Kitchen Cleaning Cloth
- Colour-Coded Towel

AVAILABLE FORMATS

Flat sheet

Quarter-fold

Interfold pop-up

Perforated roll

Centre-feed roll

Jumbo roll

MOQ 1,000 kg per specification. Lead time 15-20 days from deposit, 7-10 days on repeat orders.

FAMILY 07

Janitorial



General-purpose cloths for contract cleaning, facilities and hospitality.

Contract cleaning buys on cost per clean, not cost per cloth. A semi-disposable wiper that survives four or five wet uses and is then thrown away avoids the laundry loop entirely, which is where the hidden cost of cotton rag sits. Mesh and apertured surfaces lift particulate instead of pushing it around.

45–70
GSM BAND

VISCOSE / PET
COMPOSITION

Semi-disposable
USE PROFILE

Colour-coded
ZONING

SERVES

- Contract cleaning
- Washrooms & sanitary
- Facilities management
- Schools & institutions
- Hotels & hospitality
- Retail & office

SPECIFICATION

Range comparison

All dimensions indicative and cut to customer specification. Formats available across the range.

PRODUCT	COMPOSITION	PATTERN	GSM	SIZES	COLOURS
All-Purpose Wiper	Viscose / Polyester	Mesh	customizable	customizable	Colour-coded range
Semi-Disposable Colour-Coded Cloth	Viscose / Polyester	Printed mesh	customizable	customizable	Yellow, blue, red, green
Lightweight Cleaning Cloth	Viscose / Polyester	Mesh	customizable	customizable	Colour-coded range
Medium Duty Cleaning Cloth	Woodpulp / Polyester	Plain	customizable	customizable	White, blue

ALSO SUPPLIED IN THIS FAMILY

- Multi-Purpose Wiper
- Household Duster Cloth
- Floor Wiper
- Reusable Cleaning Cloth
- Disposable Cleaning Cloth
- Multi-Functional Wiper

AVAILABLE FORMATS

Flat sheet

Quarter-fold

Interfold pop-up

Perforated roll

Centre-feed roll

Jumbo roll

MOQ 1,000 kg per specification. Lead time 15-20 days from deposit, 7-10 days on repeat orders.

FAMILY 08

Medical

Low-lint dry wipes, instrument cloths and absorbent tray liners for clinical use.

Clinical wiping splits into two jobs that need different cloths. Instrument and surface work needs low lint and chemical tolerance so disinfectant is not neutralised by the substrate. Patient-contact and absorbent work needs softness and capacity. Both come from hydroentangled pulp and polyester webs, supplied sterile or non-sterile against your validation protocol.

Low-lint
CONSTRUCTION

PULP / PET
COMPOSITION

Sterile option
AVAILABILITY

Binder-free
CHEMISTRY

SERVES

- Hospitals & clinics
- Dental practice
- Operating theatre
- Medical device manufacture
- Instrument reprocessing
- Care & incontinence

SPECIFICATION

Range comparison

All dimensions indicative and cut to customer specification. Formats available across the range.

PRODUCT	COMPOSITION	PATTERN	GSM	SIZES	COLOURS
Medical Dry Wiper	Woodpulp / Polyester	Plain	customizable	customizable	White
Medical All-Purpose Towel	Viscose / Polyester	Plain	customizable	customizable	White, blue
Hospital Instrument Wiper	Woodpulp / Polyester	Plain	customizable	customizable	White
Absorbent Tray Liner	Woodpulp composite	Plain	customizable	customizable	White, green

READING THE TABLE

Sterile grades, sterilisation method and SAL are specified per order. Medical device registration is the responsibility of the brand owner in the destination market.

ALSO SUPPLIED IN THIS FAMILY

- Medical Hand Wipe
- Sterilisation Tray Liner
- Surgical Towel
- Hospital-Grade Cleansing Wipe
- Medical Low-Linting Towel
- Dry Disposable Washcloth

AVAILABLE FORMATS

Flat sheet

Quarter-fold

Interfold pop-up

Perforated roll

Centre-feed roll

Jumbo roll

MOQ 1,000 kg per specification. Lead time 15-20 days from deposit, 7-10 days on repeat orders.

FAMILY 09

Aerospace



Controlled-cleanliness wipers for airframe, cabin and window work.

Aerospace wiping is governed by process specification rather than preference. Solvent compatibility, residue limits and traceability are usually written into the customer's own approved-materials list, and a wiper not on that list cannot be used regardless of how well it performs. We supply to a named specification and hold batch traceability across the run.

Low-residue
CONSTRUCTION

PULP / PET
COMPOSITION

Batch traced
DOCUMENTATION

Bucket / flat
FORMAT

SERVES

- Airframe surface preparation
- MRO & line maintenance
- Cabin interior cleaning
- Composite lay-up areas
- Window & transparency care
- Paint & sealant work

SPECIFICATION

Range comparison

All dimensions indicative and cut to customer specification. Formats available across the range.

PRODUCT	COMPOSITION	PATTERN	GSM	SIZES	COLOURS
Aerospace Grade Wiper	Woodpulp / Polyester	Plain	customizable	customizable	White
Aircraft Cleaning Wiper	Woodpulp / Polyester	Creped	customizable	customizable	White, blue
Aerospace Window Wiper	Microfiber polyester	Knit	customizable	customizable	White
Bucket Wiper (dry, for impregnation)	Woodpulp / Polyester	Plain	customizable	customizable	White

READING THE TABLE

Supply against a customer process specification. Confirm the approved-materials reference at enquiry so the correct construction and documentation are quoted.

ALSO SUPPLIED IN THIS FAMILY

- Aviation Cleaning Wipe
- Composite Surface Wiper
- Aviation Wiper
- Sealant Removal Wiper
- Aircraft Wipe
- Line Maintenance Wiper

AVAILABLE FORMATS



Flat sheet · Quarter-fold · Interfold pop-up · Perforated roll · Centre-feed roll · Jumbo roll

MOQ 1,000 kg per specification. Lead time 15-20 days from deposit, 7-10 days on repeat orders.

FAMILY 10

Abrasive **& Scrub**

Textured and dual-face constructions for baked-on soil a flat wiper will not shift.

Some soil has to be cut, not absorbed. Dual-textured meltblown and abrasive-faced pulp composites give a working face aggressive enough to break carbon deposit, dried adhesive or scale, backed by an absorbent face that carries the residue away in the same pass. It replaces the scour-then-wipe two-step with a single cloth.

Dual-face
CONSTRUCTION

PP / PULP
COMPOSITION

Non-scratch
GRADE OPTION

Sheet / roll
FORMAT

SERVES

- Baked-on carbon & grease
- Kitchen griddle & hotplate
- Adhesive & label residue
- Scale & mineral deposit
- Weld spatter clean-up
- Pre-paint keying

SPECIFICATION

Range comparison

All dimensions indicative and cut to customer specification. Formats available across the range.

PRODUCT	COMPOSITION	PATTERN	GSM	SIZES	COLOURS
Abrasive Meltblown Wiper	Polypropylene meltblown	Dual-textured	customizable	customizable	White, blue
Woodpulp Abrasive Nonwoven	Woodpulp / Polypropylene	Textured	customizable	customizable	White, green
Dual-Textured Spunlace Wiper	Woodpulp / Polyester	Dual-textured	customizable	customizable	White, blue

READING THE TABLE

Abrasive grade must be matched to the substrate being cleaned. Request a sample and trial on a sacrificial part before committing to a grade.

ALSO SUPPLIED IN THIS FAMILY

- Dual-Textured Meltblown Fabric
- Scrub & Wipe Composite
- Grime Removing Wipe
- Heavy Oil Cleaning Wipe
- High-Friction Spunlace

AVAILABLE FORMATS

Flat sheet

Quarter-fold

Interfold pop-up

Perforated roll

Centre-feed roll

Jumbo roll

MOQ 1,000 kg per specification. Lead time 15-20 days from deposit, 7-10 days on repeat orders.

FAMILY 11

Microfiber

Split-filament polyester and polyamide for streak-free optical and display work.

Microfiber works mechanically rather than chemically. Splitting the filament multiplies surface area and creates a wedge profile that lifts particulate off glass and lens coatings instead of smearing it, which is why it cleans without solvent and leaves no drying marks. The trade-off is cost per unit, so it belongs where the surface is expensive and the finish is visible.

Split filament
CONSTRUCTION

PET / PA
COMPOSITION

Streak-free
FINISH

Solvent-free
USE

SERVES

- Optical & lens cleaning
- Automotive glass & detailing
- Display & touchscreen
- Stainless & polished metal
- Instrument panels
- Precision assembly

SPECIFICATION

Range comparison

All dimensions indicative and cut to customer specification. Formats available across the range.

PRODUCT	COMPOSITION	PATTERN	GSM	SIZES	COLOURS
Microfiber Cleaning Cloth	Polyester / Polyamide	Split filament	customizable	customizable	Blue, grey, white
Microfiber Lens Cleaning Cloth	Polyester / Polyamide	Split filament	customizable	customizable	Blue, grey
Nonwoven Microfiber Jumbo Roll	Polyester / Polyamide	Split filament	customizable	Max width to spec	Full range

READING THE TABLE

Split ratio and denier drive cleaning performance and price. Specify the surface and the acceptable finish standard at enquiry.

ALSO SUPPLIED IN THIS FAMILY

- Ultra-Fine No-Scratch Cloth
- Lint-Free Microfiber Roll
- Disposable Microfiber Cloth
- Superfine Fiber Cloth
- Jumbo Microfiber Lens Cloth
- Microfiber for Dust Removal

AVAILABLE FORMATS

Flat sheet

Quarter-fold

Interfold pop-up

Perforated roll

Centre-feed roll

Jumbo roll

MOQ 1,000 kg per specification. Lead time 15-20 days from deposit, 7-10 days on repeat orders.

MATERIAL PLATFORM

Six webs under **the whole range.**

Every product in the preceding families is converted from one of the six webs below. Substrate is also supplied unconverted, as jumbo roll, to customers running their own lines.

PRODUCT	COMPOSITION	PATTERN	GSM	SIZES	COLOURS
Spunlace Viscose / PET	Viscose / Polyester	Mesh, printed	35-120	Max width 210 cm	Yellow, blue, red, green
Spunlace Woodpulp / PET	Woodpulp / Polyester	Plain, creped	customizable	customizable	White, blue, turquoise
Spunlace Woodpulp / PP	Woodpulp / Polypropylene	Plain, embossed	customizable	customizable	White, blue, grey
Meltblown Polypropylene	100% Polypropylene	Meltblown	customizable	customizable	White
Microfiber	Polyester / Polyamide	Split filament	customizable	customizable	Blue, grey, white
Biodegradable Spunlace	Viscose, woodpulp, PLA, PBAT	Plain, embossed	customizable	customizable	White, natural

BIODEGRADABILITY

Offered as partially biodegradable viscose and wood pulp blends, and as fully compostable PLA and PBAT constructions meeting EN 13432. Standard viscose/polyester blends cannot be described as biodegradable because of the polyester content.

Grammage tolerance is typically within plus or minus five per cent.

DISPERSIBLE NONWOVEN

Engineered to fail, **on purpose.**

A flushable substrate must do two contradictory things: hold together in the hand under load, then come apart in water within seconds. That is achieved with short-fibre constructions and no plastic content, bonded so the web loses integrity under agitation rather than under tension.

PRODUCT	COMPOSITION	PATTERN	GSM	SIZES	COLOURS
Flushable Spunlace Roll	Cellulose, plastic-free	Plain	customizable	Max width to spec	White
Moist Toilet Tissue Substrate	100% cellulose fibre	Plain, embossed	customizable	customizable	White
Personal Care Wipe Substrate	Cellulose, plastic-free	Plain	customizable	customizable	White
Dispersible Nonwoven	Short-fibre cellulose	Plain	customizable	customizable	White

FLUSHABILITY STANDARD

Designed to disperse in water within seconds and to meet GD4 and INDA guidelines for safe sewage disposal, with no plastic content. EU and US flushability regimes differ; confirm the destination market at enquiry so the correct construction and test evidence are quoted.

ALSO SUPPLIED IN THIS FAMILY

- Flushable Wet Wipe Substrate
- Flushable Cleansing Cloth
- Toilet Seat Cover Material
- Bathroom Wipe Substrate
- Cloth Diaper Liner
- Biodegradable Flushable Nonwoven

MATERIAL RESPONSIBILITY

Disposable is not **the same as wasteful.**

The argument against a single-use wiper assumes the alternative is free. It is not. Laundered rag carries water, detergent, thermal energy and transport on every cycle, and it carries contamination back into the plant when the wash fails. The honest comparison is total impact per clean.

FIBRE SOURCING

FSC and PEFC certified chains where required, declared per substrate rather than as a blanket claim.

BIODEGRADABLE RANGE

Partially biodegradable viscose and pulp blends, and fully compostable PLA and PBAT to EN 13432.

PLASTIC-FREE DISPERSIBLE

Flushable substrates carry no plastic content and disperse rather than persist in sewage systems.

BASIS WEIGHT DISCIPLINE

Specifying the lowest gsm that will do the job is the largest single lever on material consumed.

PACK REDUCTION

Interfold and centre-feed cut over-draw at the dispenser, reducing wipers consumed before any material change.

FULL CONTAINER SHIPPING

FCL consolidates freight per tonne against part-load movement and reduces handling in transit.

WHAT WE WILL NOT CLAIM

We do not describe standard viscose or wood pulp blends containing polyester or polypropylene as biodegradable, and we do not carry recycled-content or carbon claims without third-party evidence for the specific run.

SECTOR TO PRODUCT

Which family **serves which sector.**

Products appear once in this catalogue. Where a product serves more than one sector, the sectors attach to it.

	Gen. Industrial	Wiper Rolls	Automotive	Oil & Spill	Cleanroom	Foodservice	Janitorial	Medical	Aerospace	Abrasive	Microfiber
Manufacturing & MRO	●	●	·	●	·	·	○	·	·	●	·
Automotive assembly	●	○	●	○	·	·	·	·	·	○	●
Body shop & refinishing	·	·	●	○	·	·	·	·	·	●	○
Semiconductor & electronics	·	·	·	·	●	·	·	·	·	·	●
Pharmaceutical & device	·	·	·	·	●	·	·	●	·	·	○
Hospital & clinical	·	·	·	·	○	·	●	●	·	·	·
Laboratory & analytical	·	·	·	·	●	·	·	●	·	·	○
Food processing & HACCP	·	○	·	·	·	●	●	·	·	○	·
Hotels & hospitality	·	○	·	·	·	●	●	·	·	·	●
Aerospace & MRO	·	·	○	·	●	·	·	·	●	·	●
Oil, fuel & chemical	●	○	·	●	·	·	·	·	·	·	·
Printing & ink	●	●	·	○	·	·	·	·	·	·	·
Facilities & contract	·	●	·	·	·	·	●	·	·	·	○
Optical & precision	·	·	○	·	●	·	·	·	○	·	●
Marine & offshore	●	·	·	●	·	·	·	·	·	·	·
Own-brand converting	○	●	·	·	·	·	·	·	·	·	○

● Primary family ○ Also applicable

ASSURANCE

What we test, and **what we will not claim.**

A wiper specification is only worth the test evidence behind it. We publish the figures we hold and mark the rest as open rather than filling the gap with a number that cannot be defended at audit.

ROUTINE TESTING

- Basis weight (gsm)
- Dry & wet tensile
- Lint & particle release
- Grammage tolerance
- Absorbent capacity
- Colour fastness
- Dimensional accuracy
- Rate of absorption
- Pack count accuracy

PRODUCT CERTIFICATION

Certifications such as FSC, PEFC, RoHS, OEKO-TEX and food-contact approval are held against a specific substrate, a specific mill and a specific destination market. Where a certification is required, name it at enquiry and we will confirm in writing whether the proposed construction carries it before any order is accepted. Nothing in this catalogue should be read as a blanket certification claim across the range.

COMMERCIAL

How an order **runs.**

1 ENQUIRY
Application, soil, surface and any specification you must meet

2 SAMPLE
A4 samples freight collect, within 24 hours of spec agreement

3 TRIAL
Minimum 1,000 kg. Enough to run a real trial on the line

4 SPEC FREEZE
Substrate, gsm, size, format, pack and artwork confirmed

5 PRODUCTION
15-20 days from deposit, 7-10 days on repeat orders

6 SHIPMENT
FCL with full documentation, COO and batch traceability

1,000
KG MINIMUM ORDER

A4
FREE SAMPLE

15–20
DAYS LEAD TIME

7–10
DAYS ON REPEAT

TERMS

Quotations are issued against a named specification and are valid for 30 days. Raw material movement outside that window is reflected in a revised quotation rather than absorbed into lead time.

A TO Z

Every product, **listed once.**

Products serving more than one sector appear once, under the family that carries their specification.

Abrasive Meltblown Wiper	10
Absorbent Tray Liner	08
Aerospace Grade Wiper	09
Aerospace Window Wiper	09
Aircraft Cleaning Wiper	09
All-Purpose Wiper	07
Antistatic Wiper	05
Auto Paint Prep Wiper	03
Automotive Surface Wiper	03
Biodegradable Spunlace	SUB
Blue Shop Towel	03
Bucket Wiper	09
Centre-Feed Wiper Roll	02
Counter Cloth	06
Dispersible Nonwoven	FLU
Dual-Textured Spunlace Wiper	10
Dust Free Wiper	05
Engineered Cloth Wiper	01
Flushable Spunlace Roll	FLU
Food Contact Wiper	06
General Industrial Wiper	01
HACCP Cleaning Wiper	06
Heavy Duty Industrial Wiper	01
Hospital Instrument Wiper	08
J-Cloth Nonwoven Wiper	06
Jumbo Roll (converting)	02
Laboratory Wiper	05
Large Roll Industrial Wipe Paper	02
Light Duty Industrial Wiper	01
Lightweight Cleaning Cloth	07
Low-Linting Nonwoven Cloth	05
Medical All-Purpose Towel	08
Medical Dry Wiper	08
Medium Duty Cleaning Cloth	07
Medium Duty Industrial Wiper	01
Meltblown Oil Absorbent Wiper	04
Meltblown Polypropylene	SUB
Microfiber Cleaning Cloth	11
Microfiber Jumbo Roll	11
Microfiber Lens Cleaning Cloth	11
Moist Toilet Tissue Substrate	FLU
Nonwoven Tack Cloth	03
Oil Absorbent Wiper	04
Oil Sorbent Pad	04
Perforated Heavy Duty Wiper Roll	02
Personal Care Wipe Substrate	FLU
Semi-Disposable Colour-Coded Cloth	07
Spunlace Viscose / PET	SUB
Spunlace Woodpulp / PET	SUB
Spunlace Woodpulp / PP	SUB
Universal Absorbent Pad	04
Woodpulp Abrasive Nonwoven	10

SUB = base substrates. FLU = flushable substrates. Numbers refer to product family.

SAMRIDHI CRREATION

NONWOVEN MANUFACTURER & EXPORTER

Send us the **cleaning problem.**

Not the product code. The soil, the surface and the standard you have to meet are what let us specify the right construction first time.

HEAD OFFICE

624 Udyog Vihar Phase 5
Gurgaon 122016
Haryana, India

PRODUCTION

Surat
Gujarat, India

ONLINE

www.samridhicrreation.com

Specifications in this catalogue are indicative and subject to confirmation against a named order specification. Dimensions, basis weight, format and packing are cut and configured to customer requirement.